Neuroscience Letters, 219 (1996) 215–217
Elsevier Science Ireland Ltd.

AUTHOR INDEX

Abarca, J., see Estupina, C., 203
Adrian, G.S., see Bowman, B.H., 57
Ai, J., see Dekermendjian, K., 151
Akaishi, T., Homma, S., Estrogen modifies the baroreceptor-induced responses of supraoptic vasopressin neurons in the ovariectomized rat, 33
Akiho, H., see Matsumoto, M., 119
Akiyama, H., Kondo, H., Mori, H., Kametani, F., Nishimura, T., Ikeda, K., Kato, M., McGeer, P.L., The amino-terminally truncated forms of amyloid β-protein in brain macrophages in the ischemic lesions of Alzheimer's disease patients, 115
Akiyama, H., see Katsuragi, T., 207
Anderson, C.M., Sitar, D.S., Parkinson, F.E., Ability of nitrobenzylthioinosine to cross the blood–brain barrier in rats, 191
Apps, D., see Getlawi, F., 13
Arancibia, S., see Estupina, C., 203
Artigas, F., see Romero, L., 123
Atherton, S.L., see Bowman, B.H., 57
Avoli, M., see Kawasaki, H., 1

Baba, Y., see Ogawa, H., 21
Baron, P., see Meda, L., 91
Baubet, V., Grange, E., Sermet, E., Giaume, M., Gay, N., Bobillier, P., Widespread increase in brain protein synthesis following acute immobilization stress in adult rat brain, 187
Belmar, J., see Estupina, C., 203
Beninger, R.J., see Kalisch, B.E., 75
Bentivoglio, M., see Mariotti, R., 25
Bergami, A., see Gobbi, M., 5
Bobillier, P., see Baubet, V., 187
Boegman, R.J., see Kalisch, B.E., 75
Bonaiuto, C., see Meda, L., 91
Boszek-Funcke, A., see Michaelis, M., 99
Bowman, B.H., Yang, F., Buchanan, J.M., Adrian, G.S., Martinez, A.O., Jansen, L., Zhao, M., Atherton, S.L., Hixson, J.E., Human APOE protein localized in brains of transgenic mice, 57
Bronson, R.T., see Lipman, R.D., 111
Buchanan, J.M., see Bowman, B.H., 57
Buchanan, S., Harper, A.A., Elliott, J.R., Differential effects of tetrodotoxin (TTX) and high external K^+ on A and C fibre compound action potential peaks in frog sciatic nerve, 131

Caccia, S., see Gobbi, M., 5
Calderó, J., see Tarabal, O., 60
Caltavuturo, C., see Gobbi, M., 5
Camacho-Ochoa, M., see Piercey, M.F., 138
Canedo, A., see Mariño, J., 107
Casini, L., Macar, F., Can the level of prefrontal activity provide an index of performance in humans?, 71
Cassatella, M.A., see Meda, L., 91
Cho, K., McFarlane, I.D., Physiological actions of the neuropeptide Antho-RNamide on antagonistic muscle systems in sea anemones, 171
Cifuentes, M., Pérez, J., Grondona, J.M., Fernández-Llebrez, P., Seasonal variation in the secretory activity of the subcommissural organ (SCO) of reptiles, 9
Cohen, R.W., see Watson, J.B., 183
Connop, B.P., see Kalisch, B.E., 75
Conte, B., see Russo, A., 155
Cordeiro, M.N., see Romano-Silva, M.A., 159
Coulter, II, P.M., see Watson, J.B., 183

Dalla Valle, F., see Gobbi, M., 5
Davis, M., see Jaarsma, D., 179
Dawson, S.P., see Fergusson, J., 167
de Jong, V.J.M.B., see Jaarsma, D., 179
Dekermendjian, K., Ai, J., Nielsen, M., Sterner, O., Shan, R., Witt, M.-R., Characterisation of the furanocoumarin phellopterin as a rat brain benzodiazepine receptor partial agonist in vitro, 151
Diaz-Laviada, I., see Galve-Roperh, I., 68
Diniz, C.R., see Romano-Silva, M.A., 159
Donohue, L.R., see Lipman, R.D., 111
Dringen, R., see Kranich, O., 211
Dutia, M.B., see Johnston, A.R., 17
Dux, M., see Sann, H., 147

Eder, C., Klee, R., Heinemann, U., Blockade of voltage-gated outward K^+ currents of ramified murine microglia by scorpion peptide toxins, 29
Eggett, C.J., O'Leary, T.A., Reynolds, G.P., An improved model for examining delayed excitotoxic neurodegeneration in isolated chick retina, 65
Elliott, J.R., see Buchanan, S., 131
Esquerda, J.E., see Tarabal, O., 60
Estupina, C., Abarca, J., Arancibia, S., Belmar, J., *N*-Methyl-D-aspartate receptor involvement in dexamethasone and stress-induced hypothalamic somatostatin release in rats, 203
Eubanks, J.H., see Hsu, J.C., 87
Ezure, K., Tanaka, I., Contralateral projections of barosensitive neurons of the nucleus tractus solitarii, 37

Feldpausch, D.L., see Piercey, M.F., 138
Fergusson, J., Landon, M., Lowe, J., Dawson, S.P., Layfield, R., Hanger, D.P., Mayer, R.J., Pathological lesions of Alzheimer's disease and dementia with Lewy bodies brains exhibit immunoreactivity to an ATPase that is a regulatory subunit of the 26S proteasome, 167
Fernández-Llebrez, P., see Cifuentes, M., 9
Fischer, H., see Rösner, H., 175

Galve-Roperh, I., Malpartida, J.M., Haro, A., Diaz-Laviada, I., Addition of phosphatidylcholine-phospholipase C induces cellular redistribution and phosphorylation of protein kinase Cζ in C 6 glial cells, 68
Gay, N., see Baubet, V., 187
Gerendasy, D.D., see Watson, J.B., 183
Getlawi, F., Laslop, A., Schägger, H., Ludwig, J., Haywood, J., Apps, D., Chromaffin granule membrane glycoprotein IV is identical with Ac45, a membrane-integral subunit of the granule's H^+-ATPase, 13
Giaume, M., see Baubet, V., 187
Gobbi, M., Bergami, A., Caltavuturo, C., Dalla Valle, F., Mennini, T., Caccia, S., Effects of repeated oral doses of dexnorfenfluramine on 5-HT levels and 5-HT uptake sites in rat brain, 5
Gomez, M.V., see Romano-Silva, M.A., 159
Gonzalez, R., Löffelholz, K., Klein, J., Adrenergic activation of phospholipase D in primary rat astrocytes, 53
Grange, E., see Baubet, V., 187

Grondona, J.M., see Cifuentes, M., 9

Haasdijk, E.D., see Jaarsma, D., 179
Häbler, H.-J., see Michaelis, M., 99
Hamprecht, B., see Kranich, O., 211
Hanamori, T., Kunitake, T., Kato, K., Kannan, H., Fiber types of the lingual branch of the trigeminal nerve, chorda tympani, lingual-tonsillar and pharyngeal branches of the glossopharyngeal nerve, and superior laryngeal nerve and their relation to the cardiovascular responses in rats, 49
Hanger, D.P., see Fergusson, J., 167
Haro, A., see Galve-Roperh, I., 68
Harper, A.A., see Buchanan, S., 131
Haywood, J., see Getlawi, F., 13
Heinemann, U., see Eder, C., 29
Hervás, I., see Romero, L., 123
Hidaka, K., see Matsumoto, M., 119
Hishikawa, Y., see Saito, Y., 135
Hixson, J.E., see Bowman, B.H., 57
Holstege, J.C., see Jaarsma, D., 179
Homma, S., see Akaishi, T., 33
Hoppe, P., see Lipman, R.D., 111
Horiuchi, S., see Kimura, T., 95
Hsu, J.C., Zhang, L., Wallace, M.C., Eubanks, J.H., Cerebral ischemia alters the regional hippocampal expression of the rat m1 muscarinic acetylcholine receptor gene, 87
Hwang, S.J., see Koh, H.C., 195

Ientile, R., Picciurro, V., Pedale, S., Nucci, C., Malecka, B., Nisticò, G., Macaione, S., Nitric oxide enhances amino acid release from immature chick embryo retina, 79
Ikeda, K., see Akiyama, H., 115
Ikeda, K., see Katsuragi, T., 207
Ikeda, K., see Kimura, T., 95
Iseki, E., see Katsuragi, T., 207

Jaarsma, D., Holstege, J.C., Troost, D., Davis, M., Kennis, J., Haasdijk, E.D., de Jong, V.J.M.B., Induction of c-Jun immunoreactivity in spinal cord and brainstem neurons in a transgenic mouse model for amyotrophic lateral sclerosis, 179
Jancsó, G., see Sann, H., 147
Jänig, W., see Michaelis, M., 99
Jansen, L., see Bowman, B.H., 57
Jhamandas, K., see Kalisch, B.E., 75
Johnston, A.R., Dutia, M.B., Postnatal development of spontaneous tonic activity in mouse medial vestibular nucleus neurones, 17

Kalisch, B.E., Connop, B.P., Jhamandas, K., Beninger, R.J., Boegman, R.J., Differential action of 7-nitro indazole on rat brain nitric oxide synthase, 75
Kametani, F., see Akiyama, H., 115
Kanda, K., Expression of neuronal nitric oxide synthase in spinal motoneurons in aged rats, 41
Kannan, H., see Hanamori, T., 49
Kato, K., see Hanamori, T., 49
Kato, M., see Akiyama, H., 115
Kato, M., see Katsuragi, T., 207
Katsuragi, T., Iseki, E., Kosaka, K., Nishimura, T., Akiyama, H., Ikeda, K., Kato, M., Immunohistochemical investigation of human leukocyte antigen (HLA)-DR-positive astrocytes in adrenoleukodystrophy brain, 207
Kawasaki, H., Avoli, M., Excitatory effects induced by carbachol on bursting neurons of the rat subiculum, 1
Kayahara, T., see Matsuyama, T., 199
Kennis, J., see Jaarsma, D., 179
Kerwin, R.W., see Mulcrone, J., 163
Kimura, T., Ikeda, K., Takamatsu, J., Miyata, T., Sobue, G., Miyakawa, T., Horiuchi, S., Identification of advanced glycation end products of the Maillard reaction in Pick's disease, 95
Klee, R., see Eder, C., 29
Klein, J., see Gonzalez, R., 53
Kogawa, S., see Saito, Y., 135
Koh, H.C., Shin, I.C., Hwang, S.J., Paik, D.J., Modification of cardiovascular response of adenosine A_1 receptor agonist by cyclic AMP in the spinal cord of the rats, 195
Kondo, H., see Akiyama, H., 115
Kosaka, K., see Katsuragi, T., 207
Kranich, O., Hamprecht, B., Dringen, R., Different preferences in the utilization of amino acids for glutathione synthesis in cultured neurons and astroglial cells derived from rat brain, 211
Kunitake, T., see Hanamori, T., 49

Landon, M., see Fergusson, J., 167
Laslop, A., see Getlawi, F., 13
Layfield, R., see Fergusson, J., 167
Li, C., Peoples, R.W., Weight, F.F., Cu^{2+} potently enhances ATP-activated current in rat nodose ganglion neurons, 45
Limatola, C., Pacini, L., Ricci, I., Spinedi, A., Phosphoinositide-derived diacylglycerol conversion to phosphatidic acid is a receptor-dependent and compartmentalized phenomenon in human neuroblastoma, 127
Linkenhoker, B., see Wylie, D.R.W., 83
Lipman, R.D., Donohue, L.R., Hoppe, P., Bronson, R.T., Evidence that lysosomal storage of proteolipids is a cell autonomous process in the motor neuron degeneration (*mnd*) mouse, a model of neuronal ceroid lipofuscinosis, 111
Löffelholz, K., see Gonzalez, R., 53
Lowe, J., see Fergusson, J., 167
Ludwig, J., see Getlawi, F., 13

Macaione, S., see Ientile, R., 79
Macar, F., see Casini, L., 71
Malecka, B., see Ientile, R., 79
Malpartida, J.M., see Galve-Roperh, I., 68
Mancuso, C., see Tringali, G., 143
Margulies, J.E., see Watson, J.B., 183
Mariño, J., Martinez, L., Canedo, A., Coupled slow and delta oscillations between cuneothalamic and thalamocortical neurons in the chloralose anesthetized cat, 107
Mariotti, R., Bentivoglio, M., Botulinum toxin induces nitric oxide synthase activity in motoneurons, 25
Martinez, A.O., see Bowman, B.H., 57
Martinez, L., see Mariño, J., 107
Martín-Ruiz, R., see Pineda, J., 103
Matsumoto, M., Hidaka, K., Akiho, H., Tada, S., Okada, M., Yamaguchi, T., Low stringency hybridization study of the dopamine D4 receptor revealed D4-like mRNA distribution of the orphan seven-transmembrane receptor, APJ, in human brain, 119
Matsuyama, T., Kayahara, T., Nomura, J., Nakano, K., Direct projections from the medial vestibular nucleus to the posterior hypothalamic area in the monkey (*Macaca fuscata*), 199
Mayer, R.J., see Fergusson, J., 167
McFarlane, I.D., see Cho, K., 171
McGeer, P.L., see Akiyama, H., 115

Meda, L., Bonaiuto, C., Baron, P., Otvos, Jr., L., Rossi, F., Cassatella, M.A., Priming of monocyte respiratory burst by β-amyloid fragment (25–35), 91
Mennini, T., see Gobbi, M., 5
Michaelis, M., Häbler, H.-J., Boszek-Funcke, A., Jänig, W., Vesico-sympathetic reflexes in cat vasoconstrictor neurones supplying skin and skeletal muscle depend on the integrity of the sacral bladder afferents, 99
Mirtella, A., see Tringali, G., 143
Mishima, K., see Saito, Y., 135
Miyakawa, T., see Kimura, T., 95
Miyata, T., see Kimura, T., 95
Mori, H., see Akiyama, H., 115
Mulcrone, J., Kerwin, R.W., No difference in the expression of the D4 gene in post-mortem frontal cortex from controls and schizophrenics, 163

Nakano, K., see Matsuyama, T., 199
Navarra, P., see Tringali, G., 143
Nielsen, M., see Dekermendjian, K., 151
Nishimura, T., see Akiyama, H., 115
Nishimura, T., see Katsuragi, T., 207
Nisticò, G., see Ientile, R., 79
Nomura, J., see Matsuyama, T., 199
Nucci, C., see Ientile, R., 79

O'Leary, T.A., see Eggett, C.J., 65
Ogawa, H., Baba, Y., Oka, K., Dendritic Ca^{2+} response in cercal sensory interneurons of the cricket *Gryllus bimaculatus*, 21
Ogawa, Y., see Saito, Y., 135
Oka, K., see Ogawa, H., 21
Okada, M., see Matsumoto, M., 119
Otvos, Jr., L., see Meda, L., 91

Pacini, L., see Limatola, C., 127
Paik, D.J., see Koh, H.C., 195
Parente, L., see Tringali, G., 143
Parkinson, F.E., see Anderson, C.M., 191
Pedale, S., see Ientile, R., 79
Peoples, R.W., see Li, C., 45
Pérez, J., see Cifuentes, M., 9
Picciurro, V., see Ientile, R., 79
Piercey, M.F., Walker, E.L., Feldpausch, D.L., Camacho-Ochoa, M., High affinity binding for pramipexole, a dopamine D_3 receptor ligand, in rat striatum, 138
Pineda, J., Ruiz-Ortega, J.A., Martín-Ruiz, R., Ugedo, L., Agmatine does not have activity at α_2-adrenoceptors which modulate the firing rate of locus coeruleus neurones: an electrophysiological study in rat, 103
Pozzoli, G., see Tringali, G., 143
Preziosi, P., see Tringali, G., 143

Reynolds, G.P., see Eggett, C.J., 65
Ribeiro, A.M., see Romano-Silva, M.A., 159
Ricci, I., see Limatola, C., 127
Romano-Silva, M.A., Gomez, M.V., Diniz, C.R., Cordeiro, M.N., Ribeiro, A.M., Acetylcholine release from rat brain cortical slices evoked by the fraction P4 of the venom of the spider *Phoneutria nigriventer* has Ca^{2+} and temperature independent components, 159
Romero, L., Hervás, I., Artigas, F., The 5-HT_{1A} antagonist WAY-100635 selectively potentiates the presynaptic effects of serotonergic antidepressants in rat brain, 123
Rösner, H., Fischer, H., In growth cones of rat cerebral neurons and human neuroblastoma cells, activation of protein kinase C causes a shift from filopodial to lamellipodial actin dynamics, 175
Rossi, F., see Meda, L., 91
Ruiz-Ortega, J.A., see Pineda, J., 103
Russo, A., Conte, B., Afferent and efferent branching axons from the rat lumbo-sacral spinal cord project both to the urinary bladder and the urethra as demonstrated by double retrograde neuronal labeling, 155

Saito, Y., Shimizu, T., Takahashi, Y., Mishima, K., Takahashi, K.-i., Ogawa, Y., Kogawa, S., Hishikawa, Y., Effect of bright light exposure on muscle sympathetic nerve activity in human, 135
Sann, H., Dux, M., Schemann, M., Jancsó, G., Neurogenic inflammation in the gastrointestinal tract of the rat, 147
Schägger, H., see Getlawi, F., 13
Schemann, M., see Sann, H., 147
Sermet, E., see Baubet, V., 187
Shan, R., see Dekermendjian, K., 151
Shimizu, T., see Saito, Y., 135
Shin, I.C., see Koh, H.C., 195
Sitar, D.S., see Anderson, C.M., 191
Sobue, G., see Kimura, T., 95
Spinedi, A., see Limatola, C., 127
Sterner, O., see Dekermendjian, K., 151
Sutcliffe, J.G., see Watson, J.B., 183

Tada, S., see Matsumoto, M., 119
Takahashi, K.-i., see Saito, Y., 135
Takahashi, Y., see Saito, Y., 135
Takamatsu, J., see Kimura, T., 95
Tanaka, I., see Ezure, K., 37
Tarabal, O., Calderó, J., Esquerda, J.E., Intramuscular nerve sprouting induced by CNTF is associated with increases in CGRP content in mouse motor nerve terminals, 60
Tringali, G., Mancuso, C., Mirtella, A., Pozzoli, G., Parente, L., Preziosi, P., Navarra, P., Evidence for the neuronal origin of immunoreactive interleukin-1β released by rat hypothalamic explants, 143
Troost, D., see Jaarsma, D., 179

Ugedo, L., see Pineda, J., 103

Walker, E.L., see Piercey, M.F., 138
Wallace, M.C., see Hsu, J.C., 87
Watson, J.B., Margulies, J.E., Coulter, II, P.M., Gerendasy, D.D., Sutcliffe, J.G., Cohen, R.W., Functional studies of single-site variants in the calmodulin-binding domain of RC3/neurogranin in *Xenopus oocytes*, 183
Weight, F.F., see Li, C., 45
Witt, M.-R., see Dekermendjian, K., 151
Wylie, D.R.W., Linkenhoker, B., Mossy fibres from the nucleus of the basal optic root project to the vestibular and cerebellar nuclei in pigeons, 83

Yamaguchi, T., see Matsumoto, M., 199
Yang, F., see Bowman, B.H., 57

Zhang, L., see Hsu, J.C., 87
Zhao, M., see Bowman, B.H., 57